


[Product information](#)
[Concept](#)
[Industrial information](#)
[RAYS Partner Shop](#)
[Webstore](#)

[VIEW >](#)
[WHEEL](#)
[GALLERY](#)

THE STRONG: Kick off of a new era

The high grip tire which evolves passes through each part and hands the stress which is done and almost bent down to a wheel so that I'm surprised. 10 spokes by which a layout ideal for a wheel is possible are universal and also bounce 5 lugs of the stress. I charged Z, the STRONG wheel in which this ZE40 is exceeded thinks and wouldn't be born in further down for 10 years. The suitability which found the analysis grown up to now and reconsideration with the shape repeatedly many times and the shape that you could make and be in trouble best, indeed, beauty.

(1507658th number of registration of design)

(1508045th number of registration of design)

ZE40 Information.

Variation

ZE40

*Production Method : Forged one piece wheel

*Safety Standards :JWL+R Specs 2.

* Color: bronze (BR) (Almite)

Matt Blue Gunmetal (GB)

*Included: High-speed air control valve RAYS NEW A logo BK.

*Optional : Center Cap(The high type and standard type)

※Please refer to the "option parts" tab below.



High Speed Air Control
Valve RAYS New Logo
BK



Bronze (BR)



Matt Blue Gunmetal(The GB)

Option parts



1



2



3




4

Optional Center Cap

- 1. Matt Blue Gunmetal ¥4,200
- 2. Bronze (Almite) ¥4,200
- 3. High Type Matt Blue Gunmetal ¥4,200
- 4. High Type Bronze (almite) ¥4,200

Face design

size_inset ZE40 Section FACE comparison |



Size, Price

inch 18 | 19 | 18 import | 19 import |

INCH.	SIZE	FACE	INSET	HOLE	P.C.D	BORE (mm)	PRICE		
			()Inside is hub clearance /mm.				GBColor	BR Color	
18	7 1/2J	FACE0	48(19)	5	100	φ 65.	¥72,000+ tax	¥74,000+ tax	
			43(24), 48(19)			φ 73.1.			
	8J	FACE0	★ ■ O 45 (28)	5	100	φ 65.	¥73,000+ tax	¥75,000+ tax	
			★ ■ O 45 (28)			φ 73.1.			
	8 1/2J	FACE1	■ O 45 (21)	5	100	φ 65.	¥74,000+ tax	¥76,000+ tax	
			★ ◆ ◇ △ ■ O 35 (31) and ★ ■ O 42 (24) and 50 (20)			φ 73.1.			
	9J	FACE2	■ 40 (19)	5	100	φ 65.	¥75,000+ tax	¥77,000+ tax	
		FACE1	★ ◆ ◇ △ ■ O 45 (27)			114.3			φ 73.1.
	9 1/2J	FACE2	★ ◆ ◇ △ ■ O 25 (34) and ■ O 35 (24)	5	100		φ 65.	¥76,000+ tax	
		FACE2	★ ◆ ■ O 43 (23)			114.3	φ 73.1.		
		FACE3	★ ◆ ◇ △ ■ O 22 (24) and ◇ ■ 30 (20)						
	10J	FACE3	40(18)	5	100	φ 65.	¥77,000+ tax	¥79,000+ tax	
			★ ◆ ◇ △ ■ O 20 (32) and ◇ ■ 35 (20) and 39 (19)			φ 73.1.			
	10 1/2J	FACE3	★ ◆ ◇ △ ■ O 15 (43) and ★ ◆ ◇ △, ▲, ■ O 24 (34)	5	114.3	φ 73.1.	¥78,000+ tax	¥80,000+ tax	
11J	FACE4	★ ◆ ◇ △ ■ O 15 (37)	5	114.3	φ 73.1.	¥79,000+ tax	¥81,000+ tax		
12J	FACE4	★ ◆ ◇ △ ■ O 20 (44)	5	114.3	φ 73.1.	¥81,000+ tax	¥83,000+ tax		

Notes

.habukuriansunoataihaOptional Center Cap (sutandotaipu)souchakujinomodesu.

haitaipuCenter Capsouchakunobaaihakuriaransuga11mmzoukashimasu.

- ★ Model corresponding to a big caliper of :Skyline (It's removed), FairladyZ (Z33 Brembo caliper is removed), SILVIA , Supra, Celisior, Rx-7 and Impreza (6POT).
- ◆ Model corresponding to a big caliper of :Skyline (CKV36, It's removed.) and FairladyZ (Z33).
- ◇ Model corresponding to a big caliper of :Skyline (CKV36) and FairladyZ (Z34).
- ▲ : Brembo caliper clearance for Lancer Evolution (up to IX).
- △ : Brembo caliper clearance for LANCER Evolution X.
- Model corresponding to a big caliper of :Impreza (GDB) 6 POT.
- O : Model corresponding to a big caliper of Impreza (GDB) 4 POT.

Matching

Matching list to be used for sample reference only. It does not include detailed models, grade, year type variations, vehicle conditions, fender clearance, etc. Depending on fitment variations, wheels and/or tires may stick past the fender line and may have clearance issues with certain brake fitments and/or brake upgrades.

* Wheel size transcription method: Example) 1775 33 215/60R17 -> RimThe diameter (inch) The width (inch)Inset (mm)The tire size

inch 18 | 19 |

Manufacturer	The car type	FRONT	Center Cap		REAR	Center Cap	
			Low-type	High-type		Low-type	High-type
TOYOTA	ALPHARD/VELLFIRE 20Type	1885 35 235/50R18*	○	○	1885 35 235/50R18	○	○
	CELSIOR 30Type	1885 42 245/45R18XL**	○	○	1895 45 275/40R18XL*	X	○
	CROWN ATHLETE GRS214	1885 42 245/40R18**	○	○	1895 45 275/35R18**	X	○
	CROWN MAJESTA URS206	1885 35 245/45R18*	○	○	1895 45 275/40R18*	X	○
	HARRIER ZSU60W	1885 35 235/55R18	X	○	1885 35 235/55R18	○	○
	MARK X GRX130	1885 42 245/40R18*	○	○	1895 45 275/35R18**	X	○
	MARK X GIO GGA10	1885 35 225/45R18*	X	○	1885 35 225/45R18*	○	○
	TOYOTA 86	1885 45 225/40R18**	○	○	1895 43 255/35R18**	○	○
LEXUS	CT200h	1885 42 215/40R18XL**	X	○	1885 42 215/40R18XL**	○	○
	GS350 GRL10 F SPORT	1885 42 235/45R18*	○	○	1895 45 265/40R18*	X	○
	IS350 GSE31 F SPORT	1885 42 225/40R18	○	○	1895 45 255/35R18**	X	○
	IS-F USE20	1885 35 225/45R18*	○	○	1895 45 255/40R18*	X	○
	RX350	1885 35 235/60R18	○	○	1885 35 235/60R18	○	○
NISSAN	FAIRLADY Z Z33	1895 22 245/40R18**	○	○	1895 22 245/40R18**	○	○
	FAIRLADY Z Z34	1890 35 245/45R18*	○	○	1810 20 275/40R18*	○	○
	FUGA Y50	1885 50 245/45R18	○	○	1885 50 245/45R18	X	○
	FUGA Y51	1885 35 245/50R18*	○	○	1885 35 245/50R18*	○	○
	SILVIA S15	1885 35 225/40R18XL**	○	○	1895 45 255/35R18XL**	X	○
	SKYLINE PV36	1885 42 245/45R18*	○	○	1895 45 275/40R18*	X	○
	SKYLINE COUPE CKV36	1885 35 245/45R18**	○	○	1895 45 275/40R18*	X	○
	SKYLINE CROSSOVER	1885 42 245/50R18*	○	○	1885 42 245/50R18*	X	○
HONDA	SKYLINE GT-R R34	1895 22 245/40R18*	X	○	1895 22 245/40R18	X	○
	CIVIC TYPE R FD2	1885 50 225/40R18	○	○	1885 50 225/40R18	○	○
MAZDA	CIVIC TYPE R EURO	1885 50 225/40R18	X	○	1885 50 225/40R18	X	○
	RX-8 SE3P	1885 42 225/45R18	○	○	1885 42 225/45R18	X	○
MITSUBISHI	LANCER Evolution VII-IX	1885 35 235/40R18XL*	X	○	1885 35 235/40R18XL	○	○
	LANCER Evolution X	1885 35 245/40R18	○	○	1885 35 245/40R18	○	○
SUBARU	IMPREZA GRB	1885 42 245/40R18**	○	○	1885 42 245/40R18**	○	○
	LEGACY OUTBACK BRV	1885 45 245/50R18	○	○	1885 45 245/50R18	○	○


Matching List Notes

* Possibly to pass the fender line and/or interfere with fitment.

** Need caution for fitment, protrudes past fender line.

XL The high loading capacity is an established extra load standard tire. (The reinforced standard is also the same meaning.)

Topic of this wheel



I'm particular about the function.

The high-speed valve which can do the quick internal pressure adjustment circular course use also considered was adopted.

[Home](#)

[Product information](#)

[News list](#)

***Brand list**

VOLK RACING ECO DRIVE GEAR GRAM LIGHTS 57MOTORSPORT VERSUS HFULLCROSS
 WALTZ FORGED HOMURA BLACK FLEET GARCIA DAYTONA KC DECOR SEBRING NISMO
 G-GAMES

***List of wheels (with squeeze function)**

***Parts & Gears**

[Wheel parts](#)

[RAYS official motorsport gear](#)

***Wheel repair**

Concept

***The Concept is Racing**

***Made in Japan.**

***Technology**

[Advanced analysis technology](#) [Forging technology](#) [Casting technology](#) [Pursuit of marketability improvement](#)

Company

***Our groups**

***Job information**

Our partners

***List of our domestic partners**

***List of overseas stores**

Webstore

• For our product inquiry, call **06-6787-0019** (for RAYS customers). ※ Business hours : 9: 00 am ~6:00 pm (except Sundays and national holidays).

Copyright ©2013 RAYS Co. Ltd

[\[Original\]](#)[\[Comments\]](#)

Please note that this page might be mistranslated because of the machine translation. Click the above [\[Original\]](#) button to see the original text.